

*All Boat Trailers Are Not Created Equal*

**EZ** **LOADER**

**EZ LOADER**



*Innovation Made EZ*

# ONE COMPANY...ALL THE CHOICES.

EZR 15-18 3100  
Adjustable Division



TIAB 27-31 12000  
Adjustable Division



ILLUSION SERIES  
Custom Division




PONTOON SERIES  
(Deluxe) Custom Division



*EZ Loader has been building boat trailers since 1953. With 53 years experience in the Marine Industry, EZ Loader offers a diverse selection of boat trailers to satisfy your trailering needs. Whether you need adjustable, custom, aluminum, bunk, roller, painted or galvanized trailers, 'One Company' has all the choices you need! With over 30 national and international distribution locations, finding EZ Loader boat trailers or parts is a snap!*

*Our slogan is "Innovation made EZ", and we at EZ Loader take pride in being the leader in trailer innovation and engineering. With many patents, awards and a commitment to excellence, EZ Loader is the 'One Company' boat builders and boat owners alike choose time after time!*



**Model Featured  
EZR 17-20 3100**

*Some trailers pictured in this catalog are shown with optional equipment.*

*EZ Loader Boat Trailers is proud to feature quality components from these exceptional manufacturers.*



*Personalize your boat trailer with one or more EZ Loader options. Opt for a swing tongue for short garages, a keel roller for extra protection, a spare tire for safety insurance or a brake flush kit to help keep your brakes clean and free of corrosive elements such as saltwater.*





# options and exchanges



## DISC BRAKE SYSTEM

NEW DISC BRAKE'S E-COATED CALIPERS RESIST CORROSION AND ADD ADDITIONAL PROTECTION IN TOUGH SALTWATER CONDITIONS.



## ELECTRIC BRAKE AFTERMARKET KIT

THE PERFECT KIT TO INSTALL ELECTRIC BRAKES ON AN EXISTING EZ LOADER BOAT TRAILER. CAB CONTROL UNIT NOT INCLUDED.



## HYDRAULIC DRUM BRAKES

EZ LOADER'S HYDRAULIC DRUM BRAKES ARE HOT-DIPPED GALVANIZED FOR ADDITIONAL PROTECTION AGAINST CORROSIVE ELEMENTS.



## SWING TONGUE

NEW DESIGN. A PERFECT SOLUTION WHEN YOUR BOAT TRAILER IS TOO LONG FOR ITS STORAGE AREA. AVAILABLE ON MANY MODELS.



## SPARE TIRE AND CARRIER

GET THE ADDITIONAL PEACE OF MIND WHEN TRAVELING WITH AN O.E.M. SPARE TIRE AND CARRIER. MANY STYLES TO CHOOSE FROM.



## FOOTED TONGUE JACK

HEAVY DUTY FOOTED TONGUE JACK PROVIDES A STRONG AND STURDY SOLUTION FOR HEAVIER TRAILER/TONGUE WEIGHT.



## PVC LOAD GUIDES

STURDY EZ LOADER PVC LOAD GUIDES HELP DIRECT YOUR TRAILER DURING LAUNCHING AND GUIDE YOUR BOAT IN.



## VERTICAL LOAD GUIDES

BUNK OR ROLLER VERTICAL LOAD GUIDES – A PERFECT ASSIST FOR ADVERSE WATER & WEATHER CONDITIONS. AVAILABLE ON SELECT MODELS.



## CHINE LOAD GUIDES

UNIQUE LOW PROFILE LOAD GUIDE SYSTEM CENTERS & PROTECTS BOAT DURING LAUNCHING & LOADING. AVAILABLE ON SELECT MODELS.



## FIXED BUNK EXCHANGE

FOR BOATS THAT REQUIRE EXTRA SUPPORT ON SMALLER EZ LOADER BOAT TRAILERS. ASK YOUR DEALER IF YOUR MODEL APPLIES.



## FIXED BUNK EXCHANGE ON Y-FRAME

EXTRA BOAT SUPPORT FOR Y-FRAME BOAT TRAILER MODELS. ASK YOUR DEALER IF YOUR MODEL APPLIES.



## JON BOAT EXCHANGE

ADDS LONGER BUNKS AND A FORWARD CROSS BUNK TO GIVE EXTRA SUPPORT FOR JON BOATS AND OTHER FLAT BOTTOM BOATS.



## BUNK LOAD GUIDES

WHEN THE GOING GETS ROUGH, LOAD GUIDES HELP YOU LAUNCH & LOAD NO MATTER WHAT THE WEATHER. AVAILABLE ON MOST MODELS.



## T-BUNK LOAD GUIDE

A CONVENIENT MEDIUM-DUTY LOAD GUIDE THAT IS EASY TO INSTALL AND FITS MOST SMALL-TO-MEDIUM EZ LOADER BOAT TRAILERS.



## CHROME AND CHROME/GOLD WHEELS

THE OPTIONAL CHROME OR TWO-TONE CHROME/GOLD WHEEL ADDS BEAUTY AND GLAMOR WHEREVER IT ROLLS.



## FOUR BUNK EXCHANGE

REPLACES THE REGULAR TWO BUNK SYSTEM WITH A HEAVY-DUTY 3X4 FOUR BUNK PIVOTING SYSTEM FOR INCREASED SUPPORT.



## FOUR BUNK OPTION

ADDS TWO ADDITIONAL, FULLY ADJUSTABLE BUNKS TO AN EXISTING TWO-BUNK SYSTEM. SHOWN WITH OPTIONAL CHANNEL GUIDE COVERS.



## CHANNEL GLIDE BUNK COVERS

EZ LOADER COPOLYMER BUNK COVERS ATTACH OVER CARPETED BUNKS AND LET YOUR BOAT SLIDE ON & OFF THE TRAILER WITH EASE. recommended for aluminum boats only



## BRAKE FLUSH KIT

HELP CLEAN BRAKE COMPONENTS WITH THIS HANDY FLUSH KIT ATTACH A GARDEN HOSE & FLUSH! USEFUL IN SALTWATER ENVIRONMENTS.




## INBOARD CROSSMEMBER EXCHANGE\*

SPECIAL RECESSED CAGE HELPS PROTECT YOUR BOAT'S INBOARD SHAFT AND PROPELLER DURING LAUNCHING & LOADING.



## OWNERS MANUAL

EZ LOADER'S OWNER'S MANUAL PROVIDES MAINTENANCE INSTRUCTIONS AND SAFETY TIPS. FREE TO ANY EZ LOADER OWNER.



## KEEL PADS AND KEEL ROLLERS

FOR EXTRA PROTECTION, A SELECTION OF 4", 5", 8" AND 12" KEEL ROLLERS ARE AVAILABLE, AS WELL AS A VARIETY OF KEEL PAD SIZES.



## 12" HEAVY DUTY DOUBLE KEEL ROLLER

ADJUSTS TO YOUR BOAT PERFECTLY DURING LAUNCHING AND LOADING. AUTOMATIC PIVOTING ACTION. ADJUSTABLE HEIGHT.




## ROLL EXCHANGES

WANT TO UPDATE YOUR BOAT TRAILER WITH THE LATEST IN PATENTED NON-MARKING ROLLER TECHNOLOGY? ASK YOUR DEALER TODAY!

*Roller trailers launch with ease in shallow or deep water conditions if your area has low-water ramps. Our non-marking Dual Density Ribbed Rollers have a soft outer surface for gentle boat contact and sensitive cradling and hard center core for strength and control.*

*Bunk trailers are "float on, float off" technology and function best when used on steeper ramps. If you usually launch and load in deep water conditions, bunk trailers are the ideal choice.*



## *single axle*



*EZ 12-14 1000*



*EZ 14-17 1250*



*EZW 14-18 2300*



*EZB 17-20 3100*



*Know the brake laws in your state regarding your trailer.*



## *bunk & roller*



*EZ 14-17 1250*



*EZW 14-18 1650*



*EZR 15-18 3100*



*EZR 17-20 3700*

## *tandem axle bunk & roller*



*TEZ 17-20/22 4000*



*TEZB 23-25/27 5800*



*TEZB 25-27 8500*



*TIEZB 26-30 12000*



*TEZR 17-20/22 4000*



*TEZR 23-25/27 7000*



*TEZR 28-30 8200*



*TIEZR 30-34 11400*



## LTD single



**EZL90**  
15-16 2100



**EZL96**  
17-20 3100



**TEZL96**  
17-20/22 4000



**TEZL96**  
19-22/24 4700

*When you want the reliability and strength of an EZ Loader and the economy of spring axle technology, the Limited Series is for you!*

*Ease of use and sturdy support is the reason EZ Loader pontoon and personal watercraft trailers are chosen by more marine consumers.*





## *axle bunk & roller*



*EZL90  
15-17 2350*



*EZL96  
17-20 3100*



*TEZL96  
17-20/22 4000*



*TEZL96  
19-22/24 4700*

## *pontoon and personal watercraft*



*EZP 16-18 2150*



*EZWV 1000*



*EZP 22-24 2700*



*EZWV 1250*



*TEZP 20-22 3300*



*EZWV 1600*



*TEZP 24-26/28 4750*



*EZWV 2100*

*Specifications for pontoon and personal watercraft trailers can be found on page 11.*



*The beauty and flexibility of aluminum makes it a popular choice for both fresh and salt-water use. The corrosion resistance and strength of aluminum provides confidence in any environment.*

**EZ LOADER**



## *aluminum trailers*



**ALB 16-18  
2100**



**ALB 18-20  
3100**



**TALB 18-21  
4000**



**TIAB 27-31  
12000**

*Know the brake laws in your state regarding your trailer.  
Specifications for Aluminum trailers can be found on page 11.*



# bunk trailer specifications

Model And Hull Length	Weight Capacity	Number of Bunks	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
<b>single axle bunk trailers</b>								
EZT 14**	600#	2	Spring	480x8B	45"	59"	16'	229#
EZT 14**	800#	2	Spring	480x12B	45"	59"	16'	234#
EZ 12-14**	700#	2	Spring	480x8B	44"	58"	16' 7"	232#
EZ 12-14**	1000#	2	Spring	480x12B	44"	58"	16' 7"	237#
<b>EZW 12-14'</b>	<b>1200#</b>	2	Spring	480x12B	54"	67"	17'	279#
EZ 12-14'	1225#	2	Spring	480x12B	54"	67"	16'	321#
EZ 14-17'	1000#	2	Spring	530x12B	65"	78"	18' 4"	388#
<b>EZ 14-17'</b>	<b>1250#</b>	2	Spring	480x12B	54"	67"	19'	302#
EZN 14-17'	1400#	2	Spring	530x12C	61"	74"	19'	352#
EZ 14-17'	1650#	2	Spring	ST 175/80R 13B	58"	74"	19'	382#
EZ 14-17'	1525#	2	Spring	ST 175/80R 13B	64"	80"	19'	443#
<b>EZ 14-17'</b>	<b>2000#</b>	2	Spring	ST 175/80R 13C	64"	80"	19'	446#
EZW 14-18'	1650#	2	Torsion	ST 175/80R 13B	75"	90"	19' 4"	527#
<b>EZ 14-18'</b>	<b>2100#</b>	2	Torsion	ST 175/80R 13C	75"	90"	19' 4"	527#
EZW 14-18'	2300#	2	Torsion	ST 185/80R 13C	75"	90"	19' 4"	548#
<b>EZ 15-18'</b>	<b>2350#</b>	2	Torsion	ST 205/75R 14C	77"	96"	20' 5"	621#
EZ 17-20'	2350#	2	Torsion	ST 205/75R 14C	77"	96"	21' 5"	636#
<b>EZ 15-18'</b>	<b>2800#</b>	2	Torsion	ST 205/75R 14C	77"	96"	20' 5"	622#
EZ 17-20'	2800#	2	Torsion	ST 205/75R 14C	77"	96"	21' 5"	637#
<b>EZ 15-18'</b>	<b>3100#</b>	2	Torsion	ST 215/75R 14C	77"	96"	20' 5"	634#
EZ 17-20'	3100#	2	Torsion	ST 215/75R 14C	77"	96"	21' 5"	649#
EZ 19-22'	3100#	2	Torsion	ST 215/75R 14C	77"	96"	23' 8"	714#
EZ 17-20**	3700#	2	Torsion	ST 225/75R 15D	78"	96"	22' 6"	887#
EZ 19-22/24**	3700#	2	Torsion	ST 225/75R 15D	78"	96"	24' 6"/+2'	926#
<b>TEZ 17-20/22**</b>	<b>4000#</b>	2	Torsion	ST 175/80R 13C	80"	96"	22' 3"/+1' 3"	900#
TEZ 19-22/24**	4300#	2	Torsion	ST 205/75R 14B	77"	96"	25'+1' 6"	1110#
<b>TEZ 19-22/24**</b>	<b>4700#</b>	2	Torsion	ST 205/75R 14C	77"	96"	25'+1' 6"	1110#
<b>TEZ 19-22/24**</b>	<b>5200#</b>	2	Torsion	ST 205/75R 14C	77"	96"	25'+1' 6"	1119#
<b>TEZ 23-25/27**</b>	<b>5800#</b>	4	Torsion	ST 215/75R 14C	77"	96"	26' 3"/+2'	1487#
TEZB 23-25/27**	6800#	4	Torsion	ST 225/75R 15D	76"	96"	26' 3"/+2'	1633#
TEZB 23-25/27**	7500#	4	Torsion	ST 225/75R 15D	76"	96"	26' 3"/+2'	1633#
TEZB 25-27'	8500#	4	Torsion	ST 235/80R 16D	76"	96"	28' 3"	1950#
TEZB 28-30'	8500#	4	Torsion	ST 235/80R 16D	76"	96"	30 <sup>3</sup> / <sub>3</sub> "	2015#
TEZB 26-30'	9000#	4	Torsion	ST 215/75R 14C	77"	96"	30' 6"	2068#
TEZB 26-30'	12000#	4	Torsion	ST 225/75R 15D	77"	96"	31' 6"	2431#
TEZL102 26-30'	12000#	4	Torsion	ST 225/75R 15D	83"	102"	31' 6"	2455#
TEZB 30-34/36**	11800#	4	Torsion	ST 225/75R 15D	77"	96"	37'+2'	2596#
EZ102 15-18'	2350#	2	Torsion	ST 205/75R 14C	83"	102"	20' 3"	637#
EZ102 15-18'	2800#	2	Torsion	ST 205/75R 14C	83"	102"	20' 3"	638#
EZ102 17-20'	2800#	2	Torsion	ST 205/75R 14C	83"	102"	21' 3"	646#
EZ102 15-18'	3100#	2	Torsion	ST 215/75R 14C	83"	102"	20' 3"	649#
EZ102 17-20'	3100#	2	Torsion	ST 215/75R 14C	83"	102"	21' 3"	657#
<b>TEZ102 17-20/22**</b>	<b>4000#</b>	2	Torsion	ST 175/80R 13C	86"	102"	22' 3"/+1' 3"	912#
TEZ102 19-22/24**	4300#	2	Torsion	ST 205/75R 14B	83"	102"	25'+1' 6"	1124#
<b>TEZ102 19-22/24**</b>	<b>4700#</b>	2	Torsion	ST 205/75R 14C	83"	102"	25'+1' 6"	1124#
TEZ102 19-22/24**	5200#	2	Torsion	ST 205/75R 14C	83"	102"	25'+1' 6"	1133#
TEZ102 26-30'	7500#	4	Torsion	ST 225/75R 15D	83"	102"	30' 3"	1913#
TEZ102 26-30'	8500#	4	Torsion	ST 235/80R 16D	82"	102"	30' 3"	2035#
TEZ102 26-30'	12000#	4	Torsion	ST 225/75R 15D	83"	102"	31' 6"	2455#
EZL80 13-14'	1480#	2	Spring	530 X 12C	66"	80"	17' 8"	352#
EZL80 15-16'	1700#	2	Spring	ST 175/80R 13C	64"	80"	19'	404#
EZL80 15-16'	1900#	2	Spring	ST 175/80R 13C	64"	80"	19'	404#
<b>EZL90 15-16'</b>	<b>2100#</b>	2	Spring	ST 175/80R 13C	74"	90"	19' 6"	460#
EZL90 14-18'	1650#	2	Spring	ST 175/80R 13B	74"	90"	19' 6"	504#
EZL90 14-18'	2100#	2	Spring	ST 175/80R 13C	74"	90"	19' 6"	504#
<b>EZL90 15-17'</b>	<b>2350#</b>	2	Spring	ST 185/80R 13C	76"	92"	20' 4"	530#
EZL90 17-19'	2100#	2	Spring	ST 175/80R 13C	76"	92"	21' 4"	536#
<b>EZL96 15-17'</b>	<b>2100#</b>	2	Spring	ST 185/80R 13C	76"	92"	21' 4"	545#
EZL96 15-18'	2450#	2	Spring	ST 205/75R 14C	77"	96"	21' 4"	534#
<b>EZL96 15-18'</b>	<b>2800#</b>	2	Spring	ST 175/80R 13C	80"	96"	20' 4"	517#
EZL96 17-20'	2800#	2	Spring	ST 205/75R 14C	77"	96"	21' 4"	528#
<b>EZL96 15-18'</b>	<b>3100#</b>	2	Spring	ST 215/75R 14C	77"	96"	21' 4"	597#
EZL96 17-20'	3100#	2	Spring	ST 205/75R 14C	77"	96"	22' 4"	617#
EZL96 19-22'	3100#	2	Spring	ST 215/75R 14C	77"	96"	21' 4"	613#
EZL96 17-20***	3700#	2	Spring	ST 225/75R 15D	78"	96"	22' 4"	627#
EZL96 19-22/24**	3700#	2	Spring	ST 225/75R 15D	78"	96"	23' 6"	687#
<b>TEZL96 17-20/22**</b>	<b>4000#</b>	2	Spring	ST 175/80R 13C	80"	96"	24' 6"	866#
<b>TEZL96 19-22/24**</b>	<b>4700#</b>	2	Spring	ST 205/75R 14C	80"	96"	23' 6"/+1' 3"	904#
EZL102 15-18'	2800#	2	Spring	ST 185/80R 13C	86"	102"	25'+1' 3"	1081#
EZL102 15-18'	2900#	2	Spring	ST 205/75R 14C	83"	102"	21'	554#
EZL102 17-20'	2800#	2	Spring	ST 205/75R 14C	83"	102"	21'	613#
EZL102 15-18'	3100#	2	Spring	ST 215/75R 14C	83"	102"	22'	625#
EZL102 17-20'	3100#	2	Spring	ST 215/75R 14C	83"	102"	22'	633#
EZL102 17-20***	3700#	2	Spring	ST 225/75R 15D	84"	102"	22' 6"	873#
EZL102 19-22/24**	3700#	2	Spring	ST 225/75R 15D	84"	102"	24' 6"	917#
<b>TEZL102 17-20/22**</b>	<b>4000#</b>	2	Spring	ST 175/80R 13C	86"	102"	23' 6"/+1' 3"	838#
<b>TEZL102 19-22/24**</b>	<b>4700#</b>	2	Spring	ST 205/75R 14C	84"	102"	25'+1' 3"	1096#

Some models are pictured with optional equipment

**CAUTION: FOR PROPER LOAD DISTRIBUTION ON TANDEM AND TRIPLE AXLE TRAILERS, THE TRAILER, WHEN LOADED, SHOULD BE PARALLEL TO THE GROUND WHEN ATTACHED TO THE TOWING VEHICLE.**

**Bold Type** indicates that trailer is available in Orca Black, Oyster, Nautical White or Galvanized. \*A tongue extension at an additional charge, is required for the 1' & 2' longer models. \*\*Available in galvanized only. †Measurements are approximate. Please check the brake and legal load/width requirements for your state. Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.



# roller trailer specifications

Model And Hull Length	Weight Capacity	Number of Rollers	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
<b>single axle roller trailers</b>								
EZ 12-14'	1225#	8	Spring	480x12B	54"	67"	15' 9"	325#
<b>EZ 14-17'</b>	<b>1250#</b>	10	Spring	480x12B	54"	67"	18' 9"	346#
EZ 14-17'	1525#	12	Spring	ST 175x80R 13B	64"	80"	19'	455#
<b>EZ 14-17'</b>	<b>2000#</b>	16	Spring	ST 175x80R 13C	64"	80"	19'	494#
EZW 14-18'	1650#	16	Torsion	ST 175x80R 13B	75"	90"	19' 4"	578#
<b>EZW 14-18'</b>	<b>2100#</b>	16	Torsion	ST 175x80R 13C	75"	90"	19' 4"	578#
EZW 14-18'	2300#	16	Torsion	ST 185x80R 13C	75"	90"	19' 4"	596#
<b>EZ 15-18'</b>	<b>2350#</b>	16	Torsion	ST 205x75R 14C	77"	96"	20' 4"	672#
<b>EZ 17-20'</b>	<b>2350#</b>	16	Torsion	ST 205x75R 14C	77"	96"	21' 4"	687#
<b>EZ 15-18'</b>	<b>2800#</b>	16	Torsion	ST 205x75R 14C	77"	96"	20' 4"	672#
<b>EZ 17-20'</b>	<b>2800#</b>	16	Torsion	ST 205x75R 14C	77"	96"	21' 4"	687#
<b>EZ 15-18'</b>	<b>3100#</b>	20	Torsion	ST 215x75R 14C	77"	96"	20' 4"	699#
<b>EZ 17-20'</b>	<b>3100#</b>	20	Torsion	ST 215x75R 14C	77"	96"	21' 4"	713#
EZ 17-20**	3700#	24	Torsion	ST 225x75R 15D	78"	96"	22' 5"	970#
EZ 19-22/24**	3700#	24	Torsion	ST 225x75R 15D	78"	96"	24' 6"/+2"	995#
<b>tandem &amp; tri-axle roller trailers</b>								
<b>TEZ 17-20/22**</b>	<b>4000#</b>	24	Torsion	ST 175x80R 13C	80"	96"	22' 2"/+1' 3"	982#
TEZ 19-22/24**	4300#	32	Torsion	ST 205x75R 14B	77"	96"	25'+1' 6"	1219#
<b>TEZ 19-22/24**</b>	<b>4700#</b>	32	Torsion	ST 205x75R 14C	77"	96"	25'+1' 6"	1219#
<b>TEZ 19-22/24**</b>	<b>5200#</b>	48	Torsion	ST 205x75R 14C	77"	96"	25' 6"/+1' 6"	1350#
<b>TEZR 23-25/27**</b>	<b>5800#</b>	48	Torsion	ST 215x75R 14C	77"	96"	26' 6"/+2"	1640#
TEZR 23-25/27**	6500#	48	Torsion	ST 225x75R 15D	76"	96"	26' 6"/+2"	1787#
TEZR 23-25/27**	7000#	64	Torsion	ST 225x75R 15D	76"	96"	26' 6"/+2"	1859#
TEZR 25-27'	8300#	64	Torsion	ST 235x80R 16D	76"	96"	28' 4"	2197#
TEZR 28-30'	8200#	80	Torsion	ST 235x80R 16D	76"	96"	31' 4"	2353#
TEZR 26-30'	9500#	80	Torsion	ST 225x75R 15D	77"	96"	31' 3"	2628#
TEZR 26-30'	11500#	96	Torsion	ST 225x75R 15D	77"	96"	31' 3"	3827#
TEZR 30-34/36***	11400#	96	Torsion	ST 225x75R 15D	77"	96"	37' 2"/+2"	3005#
<b>102" width torsion suspension trailers</b>								
EZ102 15-18'	2350#	16	Torsion	ST 205x75R 14C	83"	102"	20' 2"	680#
EZ102 15-18'	2800#	16	Torsion	ST 205x75R 14C	83"	102"	20' 2"	682#
EZ102 17-20'	2800#	16	Torsion	ST 205x75R 14C	83"	102"	21' 2"	695#
EZ102 15-18'	3100#	20	Torsion	ST 215x75R 14C	83"	102"	20' 2"	707#
EZ102 17-20'	3100#	20	Torsion	ST 215x75R 14C	83"	102"	21' 2"	721#
<b>TEZ102 17-20/22**</b>	<b>4000#</b>	24	Torsion	ST 175x80R 13C	86"	102"	22' 2"/+1' 3"	983#
<b>TEZ102 19-22/24**</b>	<b>4700#</b>	32	Torsion	ST 205x75R 14C	83"	102"	25'+1' 6"	1234#
<b>TEZ102 19-22/24**</b>	<b>5200#</b>	48	Torsion	ST 205x75R 14C	83"	102"	25' 4"/+1' 6"	1364#
EZL90 14-18'	1650#	16	Spring	ST 175x80R 13B	74"	90"	19' 4"	557#
EZL90 14-18'	2100#	16	Spring	ST 175x80R 13C	74"	90"	19' 4"	557#
<b>EZL90 15-17'</b>	<b>2350#</b>	16	Spring	ST 185x80R 13C	76"	92"	20' 4"	594#
<b>EZL90 17-19'</b>	<b>2350#</b>	16	Spring	ST 185x80R 13C	76"	92"	21' 4"	602#
<b>EZL96 15-18'</b>	<b>2800#</b>	16	Spring	ST 205x75R 14C	77"	96"	21' 4"	667#
<b>EZL96 17-20'</b>	<b>2800#</b>	16	Spring	ST 205x75R 14C	77"	96"	22' 4"	682#
<b>EZL96 15-18'</b>	<b>3100#</b>	20	Spring	ST 215x75R 14C	77"	96"	21' 4"	694#
<b>EZL96 17-20'</b>	<b>3100#</b>	20	Spring	ST 215x75R 14C	77"	96"	22' 4"	708#
EZL96 17-20**	3700#	24	Spring	ST 225x75R 15D	78"	96"	22' 5"	947#
EZL96 19-22/24**	3700#	24	Spring	ST 225x75R 15D	78"	96"	22' 5"	972#
<b>TEZL96 17-20/22***</b>	<b>4000#</b>	24	Spring	ST 175x80R 13C	80"	96"	24' 6"	926#
<b>TEZL96 19-22/24***</b>	<b>4700#</b>	32	Spring	ST 205x75R 14C	77"	96"	23' 6"/+1' 3"	926#
<b>EZL102 15-18'</b>	<b>2800#</b>	16	Spring	ST 205x75R 14C	83"	102"	25'+1' 3"	1168#
<b>EZL102 17-20'</b>	<b>3100#</b>	20	Spring	ST 215x75R 14C	83"	102"	21' 2"	676#
EZL102 17-20**	3700#	24	Spring	ST 225x75R 15D	84"	102"	22' 2"	716#
EZL102 19-22/24**	3700#	24	Spring	ST 225x75R 15D	84"	102"	22' 5"	954#
EZL102 19-22/24**	3700#	24	Spring	ST 225x75R 15D	84"	102"	24' 6"	984#

Some models are pictured with optional equipment.

**CAUTION: FOR PROPER LOAD DISTRIBUTION ON TANDEM AND TRIPLE AXLE TRAILERS, THE TRAILER, WHEN LOADED, SHOULD BE PARALLEL TO THE GROUND WHEN ATTACHED TO THE TOWING VEHICLE.**

**Bold Type** indicates that trailer is available in Orca Black, Oyster, Nautical White or Galvanized. \*A tongue extension at an additional charge, is required for the /1' & /2' longer models. \*\*Available in galvanized only. †Measurements are approximate. Please check the brake and legal load/width requirements for your state. Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.



# pontoon, water vehicle and aluminum specifications

Model And Hull Length	Weight Capacity	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
<b>pontoon trailers</b>							
<i>Pontoons: 1850-4750 lb. Capacity</i>							
EZP 14-16'	1850#	Spring	ST 175/80R 13C	82"	96"	19'	795#
EZP 16-18'	2150#	Spring	20.5x8x10E	82"	96"	21'	836#
EZP 18-20'	2100#	Spring	ST 185/80R 13C	82"	96"	21'	836#
EZP 18-20'	2100#	Spring	20.5x8x10E	82"	96"	23'	870#
EZP 18-20'	2075#	Spring	ST 185/80R 13C	82"	96"	23'	870#
EZP 18-20'	2700#	Spring	ST 195/75D 14D	82"	96"	23'	884#
EZP 20-22	2700#	Spring	ST 195/75D 14D	82"	96"	26'	952#
TEZP 20-22	3300#	Spring	20.5x8x10C	82"	96"	25'	1083#
TEZP 20-22	3300#	Spring	ST 175/80R 13B	82"	96"	25'	1126#
TEZP 22-24'	3850#	Spring	20.5x8x10D	82"	96"	27'	1109#
TEZP 22-24'	3750#	Spring	ST 175/80R 13C	82"	96"	28'	1154#
TEZP 22-24'	4325#	Spring	ST 175/80R 13C	82"	96"	27'	1157#
TEZP 24-26/28'	4750#	Spring	20.5x8x10E	82"	96"	29' /+2'	1194#
TEZP 24-26/28'	4700#	Spring	ST 185/80R 13C	82"	96"	29' /+2'	1196#

Model And Hull Length	Weight Capacity	VW Unit Capacity	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
<b>water vehicles</b>								
<i>Water Vehicles: 800-2100 lb. Capacity</i>								
EZTWV	800#	1	Spring	480x12B	45"	59"	13'	221#
EZVW	700#	1	Spring	480x8B	45"	58"	13' 6"	246#
EZVW	1000#	1	Spring	480x12B	45"	58"	13' 6"	251#
EZVW	1250#	1	Spring	480X12B	45"	58"	13' 6"	278#
EZVW	1600#	2	Spring	530x12C	82"	96"	16' 6"	470#
EZVW	1800#	2	Spring	ST 175/80R 13C	85"	100"	16' 6"	510#
EZVW	2100#	2	Spring	ST 175/80R 13C	85"	100"	16' 6"	560#

Model And Hull Length	Weight Capacity	Number of Bunks	Axle Style	Tire Size	Approx.† Width Between Fenders	Approx.† Overall Width	Approx.† Overall Length	Approx.† Shipping Weight
<b>aluminum trailers</b>								
<i>Aluminum: 1350 - 12000 Capacity</i>								
AL80B 14-16'	1350	2	Spring	ST175/80R13B	75"	90"	18' 11"	421#
AL80B 14-16'	1700	2	Spring	ST175/80R13B	75"	90"	18' 11"	430#
AL90B 14-16'	1700	2	Spring	ST175/80R13B	75"	90"	18' 4"	470#
AL90B 14-16'	2200	2	Spring	ST175/80R13C	75"	90"	18' 4"	470#
ALB 16-18'	2100	2	Spring	ST175/80R13C	77"	96"	20' 2"	499#
ALB 16-18'	2800	2	Spring	ST205/75R14C	77.5"	96"	20' 2"	563#
ALB 16-18'	3100	2	Spring	ST215/75R14C	77.5"	96"	20' 2"	575#
ALB 18-20'	2100	2	Spring	ST175/80R13C	77.5"	96"	21' 2"	512#
ALB 18-20'	2800	2	Spring	ST205/75R14C	77.5"	96"	21' 2"	576#
ALB 18-20'	3100	2	Spring	ST215/75R14C	77.5"	96"	21' 2"	588#
TALB 18-21'	4000	2	Spring	ST175/80R13C	80.5"	96"	22' 9"	766#
TALB 18-21'	4000	2	Spring	ST205/75R14B	77.5"	96"	22' 9"	834#
TALB 20-23'	4600	2	Spring	ST205/75R14B	77.5"	96"	23' 6"	958#
TALB 20-23'	5000	2	Spring	ST205/75R14C	77.5"	96"	23' 6"	958#
TALB 21-25'	6200	2	Spring	ST215/75R14C	77.5"	96"	26' 6"	1092#
TALB 23-27'	6200	2	Spring	ST215/75R14C	77.5"	96"	30' 7"	1138#
TALB 26-30'	7900	4	Spring	ST225/75R15D	77.5"	96"	30' 9"	1318#
TIAB 26-30'	9000	4	Torsion	ST225/75R15D	77.5"	96"	33' 4"	1486#
TIAB 28-32'	9000	4	Torsion	ST215/75R14C	77.5"	96"	33' 2"	1800#
TIAB 27-31'	12000	4	Torsion	ST215/75R14C	77.5"	96"	33' 6"	1823#
TIAB 27-31'	12000	4	Torsion	ST225/75R14C	77.5"	96"	34' 2"	2234#
<i>Aluminum 102": 2800 - 5000 lb Capacity.</i>								
AL102B 18-20'	2800	2	Spring	ST205/75R14C	83"	102"	21' 2"	586#
AL102B 18-20'	3100	2	Spring	ST205/75R14C	83"	102"	21' 2"	598#
TAL102B 18-21'	4000	2	Spring	ST175/80R13C	83"	102"	21'	774#
TAL102B 18-21'	4000	2	Spring	ST205/75R14B	83"	102"	21'	843#
TAL102B 20-23'	4600	2	Spring	ST205/75R14B	83"	102"	23'	925#
TAL102B 20-23'	5000	2	Spring	ST205/75R14C	83"	102"	23'	925#

Please check the brake and legal load/width requirements for your state.

Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.

**CAUTION: FOR PROPER LOAD DISTRIBUTION ON TANDEM AND TRIPLE AXLE TRAILERS, THE TRAILER, WHEN LOADED, SHOULD BE PARALLEL TO THE GROUND WHEN ATTACHED TO THE TOWING VEHICLE.**

**Bold Type** indicates that trailer is available in Orca Black, Oyster, Nautical White or Galvanized. \*A tongue extension at an additional charge, is required for the 1' & 2' longer models. \*\*Available in galvanized only. † Measurements are approximate. Please check the brake and legal load/width requirements for your state. Note: Shipping weights may vary due to manufacturing variances, and added options/exchanges.

ALTHOUGH ALL TRAILER MODELS, descriptions, specifications, photographs and illustrations contained in this catalog were correct to the manufacturer's knowledge at the time of publication, EZ Loader Adjustable Boat Trailers Sales Corporation has a policy of continual product improvement. EZ Loader reserves the right to make changes, additions or deletions to all its products and components without notice or obligation, which may affect specifications, accessories, optional equipment and model availability. Some models pictured in this catalog are shown with optional equipment. Please consult your EZ Loader dealer for precise information about current model specifications, availability and prices. EZ Loader Adjustable Boat Trailers Sales Corporation is an NMMA certified trailer manufacturer. EZ Loader boat trailers ARE MANUFACTURED AND PROTECTED UNDER ONE OR MORE OF THE FOLLOWING PATENTS: U.S. Patent No. 4210235, U.S. Patent No. 3756493, U.S. Patent No. 4278388, U.S. Patent No. 4590634, U.S. Patent No. 4592694, U.S. Patent No. 4196502, U.S. Patent No. 4611948, U.S. Patent No. 4717165, U.S. Patent No. 4281367, U.S. Patent No. 5335934.

Canadian Patent No. 718785.





# distributor locations



**#1**  
EZ Loader Adjustable Boat Trailers, Inc  
PO Box 3263  
717 N. Hamilton St.  
Spokane, WA 99220-3263  
Fax (509) 489-5729  
(509) 489-0181  
salesinfo@ezloader.com  
partsinfo@ezloader.com  
web: www.ezloader.com

**#2**  
EZ Loader Adjustable Boat Trailers, Inc  
21424 87th Ave. SE  
Woodinville, WA 98072  
Fax (360) 668-3408  
(360) 668-3517

EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
Portland, Oregon  
Fax (360) 668-3408  
(360) 668-3517

**#3**  
EZ Loader Adjustable Boat Trailers, Inc  
21424 87th Ave. SE  
Woodinville, WA 98072  
Fax (360) 668-3408  
(360) 668-3517

**#4**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
4518 Kilzer Ave.  
McClellan, CA 95652  
Fax (916) 646-0496  
(916) 646-0494

**#5 and #17**  
For more information on this area, please contact:  
EZ Loader Adjustable Boat Trailers, Inc  
PO Box 3263  
717 N. Hamilton St.  
Spokane, WA 99220-3263  
Fax (509) 489-5729  
(509) 489-0181  
salesinfo@ezloader.com  
partsinfo@ezloader.com  
web: www.ezloader.com

**#6**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
708 Hwy 75 S  
Wheaton, MN 56296  
Fax: (574) 266-5757  
(574) 266-0092  
(800) 323-8190

**#7**  
EZ Loader Custom Boat Trailers, Inc  
PO Box 270  
6533 Hwy 126 N  
Midway, AR 72651  
Fax (870) 481-5264  
(870) 481-5138  
(800) 553-7855

**#8**  
Sun Belt Marine, Inc  
2716 Spence St.  
Lufkin, TX 75904  
Fax (936) 632-4350  
(936) 632-6673  
ezldr@consolidated.net

**#9**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
125 Belvedere Rd.  
Elkhart, IN 46514  
Fax: (574) 266-5757  
(574) 266-0092  
(800) 323-8190

**#10**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
207A East St.  
Methuen, MA 01844  
Fax: (574) 266-5757  
(574) 266-0092  
(800) 323-8190

**#11**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
9 Anchor Business Centre  
Deale, MD 20751-9600  
Fax (410) 867-9431  
(410) 867-3926  
(888) 667-3926

**#12**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
349 Wilshire Ave SW  
Concord, NC 28025  
Fax (704) 784-2403  
(704) 784-4420

**#13**  
EZ Loader Adjustable Boat Trailers Sales Corporation, Inc  
1462 NW Commerce Center Parkway  
Port St. Lucie, FL 34986  
Fax : 772-465-0102  
772-465-7778  
E mail address: jvassallo@ezloader.com  
salesinfo@ezloader.com  
partsinfo@ezloader.com  
web: www.ezloader.com

**#14**  
Windward Boats, Inc  
789 Kailua Road  
Kailua, HI 96734  
Fax (808) 263-3302  
(808) 263-6030  
web: www.windwardboats.com

**#15**  
Barrett Marketing Group Ltd.  
Unit #4 - 275 De Baets St.  
Winnipeg, Manitoba  
Canada R2J 4A8  
Fax 204-669-7365  
Phone 204-669-7007  
Phone 1-800-382-0668  
Website: www.barrettcorp.com

**#15**  
Barrett Marketing Group, Ltd.  
201-26229 Twp Rd 531A  
Acheson, AB  
Canada TTX 5A4  
Fax (780) 962-5155  
(780)962-8200  
(800)661-9632

**#15**  
Barrett Marketing Group  
19757 92A Avenue  
Langley, B.C.  
Canada V1M 3B3  
Fax (604) 888-3013  
(604) 888-4044  
(800) 326-3034  
email: bpettit@barre

**#16**  
Barrett Marketing Group Ltd  
150 Colburne Street East  
Lindsay, Ontario  
Canada K9V 6K4  
Fax: (705) 324-1527  
Fax: (800) 417-8208  
(705) 324-4499  
(800) 668-3481  
Website: www.bmgspport.com  
E mail : bmgontario@barrettcorp.com

**#18**  
**JAPAN**  
Ram Associates Corp.  
4-10-7 Omachi kamakura  
Kanagawa 248 , Japan  
Fax 0467-24-2012  
0467-22-5245

**#19**  
**UNITED KINGDOM**  
Stateside Trailers  
Unit 7-Hughs Business Park  
Wilverly Road, Somersford  
Christchurch, Dorset  
BH23 3RU United Kingdom  
Fax/Phone 44-1202-478-461  
Email: roy@ready2deal.plus.com  
Web: www.statesidetrailers.co.uk

**GREECE**  
George Corcoakis  
L. Varis-Koropiou 173  
Athens TK 19400  
Greece  
Fax 30-210-482-1802  
30-210-482-1801  
email:keywest@otenet.gr

**CYPRUS**  
Importica, Ltd.  
13 Demophontos Street  
Stravolos  
Nicosia, Cyprus  
Fax 357-22-327-224  
357-99-450-302  
email: info@cy-boats.com  
web: www.cy-boats.com

**NEW ZEALAND**  
Sportcraft Boats, Ltd.  
PO Box 337



**& Outfitters**  
**Web: [www.tackle-by-dy.com](http://www.tackle-by-dy.com)**  
**Email: [info@tackle-by-dy.com](mailto:info@tackle-by-dy.com)**  
**Phone/Fax: 807-933-4946**  
Kaministiquia, Ont., P0T 1X0

VISIT US ON THE WEB at [www.ezloader.com](http://www.ezloader.com)



EZ Loader Adjustable Boat Trailers Sales Corporation, Inc., 1462 NW Commerce Center Parkway • Port St. Lucie, FL 34986



© 2006 EZ Loader Boat Trailers